

**REQUEST FOR QUOTATION
CITY OF PORT HURON
100 McMorran Boulevard Room 217
Port Huron Michigan 48060
Phone: (810) 984-9728
Fax: (810) 982-7872**

DATE: 3/21/2017

BID OPENING	
DATE	TIME
April 13, 2017	3:00 p.m.

Quotations are requested for furnishing the items described below, in accordance with the terms set forth herein. All quotations must be F.O.B. destination and include cost of boxing and cartage to delivery point below. In submitting your bid, remember that the City of Port Huron is EXEMPT FROM ALL FEDERAL AND STATES TAXES.

QUANTITY/UNIT	DESCRIPTION	LIST	DISCOUNT	TOTAL NET
1	Replace carpet with LVT (please see attached specifications) include all floor prep floor needs to be skim coated	LSUM		
1	Removal of carpet including rips up and disposal of double stick carpet Include all transitions As per the attached specifications and drawings. Please submit a price for each. The City reserves the right to split this bid up and do removal by in house staff. Bidder responsible for own field measurements and building will be available Monday –Friday 8am – 12pm (please report to the box office)	LSUM		
		TOTAL BID		
DELIVERY REQUESTED	DELIVERY POINT	PURCHASING AGENT ROBERTA J. SEPPO		

CONDITIONS

1. ALL QUOTATIONS MUST BE SIGNED. Enclose in an envelope plainly marked "BID".
2. In submitting the above, the vendor agrees that acceptance of any or all quotations by the purchasing office within a reasonable period constitutes a contract.
3. Right is reserved to reject any or all bids, or to accept separate items in a bid, unless the right is denied by bidder.
4. In case of default, the municipality may procure its supplies from other sources, and hold the original bidder or contractor liable for resulting increased costs.
5. Samples, if requested, must be furnished at bidders expense and, if not destroyed in testing, or retained as a standard, will be returned on same terms, if requested.
6. The purchasing Agent reserves the right to increase or decrease by ten per cent the quantities of any item or items ordered.

NOTICE: QUOTATIONS ON ANY FORM OTHER THAN THIS WILL NOT BE CONSIDERED.

COMPANY NAME:	AUTHORIZED SIGNATURE:	TITLE:	DATE:
---------------	-----------------------	--------	-------

Hot & Heavy



Secoya | 989 Calaveras

Secoya and Bolder Hot & Heavy floating resilient tile lives up to its name. The bold, oversized formats are the hottest products in the industry and are made possible by the loose lay construction. Each jumbo tile and plank is coated with a non-skid backing that together with the substantial weight of the product keeps tiles on the floor under heavy commercial traffic. Hot & Heavy not only looks amazing but works to reduce sound transfer and substantially reduce subfloor prep for a fashionable, practical commercial flooring solution.

Recommended Applications

- Retail – high traffic areas
- Hospitality – rooms, public space, restaurants
- Corporate – break rooms, offices, lobbies
- Education – dormitories, student centers, classrooms
- Senior Living – all spaces within independent living properties
- Over access floors

Selling Features

- Commercial grade wear layer and M-Force™ Enhanced Urethane finish
- Oversize formats look great and install over large areas quickly
- Non-skid backing eliminates the need for full spread adhesive
- Immediate move-in
- Installs over slabs with up to 95% RH
- IIC Rating of 57 without underlayment
- 59% recycled content and FloorScore® Certified

Collection	Hot & Heavy
Style Number / Name	C0009 (Secoya); C0010 (Bolder)
Brand	Mohawk Group - Hard Surface
Product Type	Loose Lay Resilient Tile

DESIGN

Overall Gauge	.20" (5mm)
Wear Layer	20 mil (0.5mm)
Finish	M-Force™ Enhanced Urethane
Texture	Wood Emboss; Light Emboss
Edge Profile	Bevel (Secoya); Square (Bolder)
Colors Available / Size	Each color is only available in the size shown
Secoya	9 colors - 9" x 59" (nominal) (235mm x 1505mm)
Bolder	8 colors - 36" x 36" (914.4mm x 914.4mm)
Antimicrobial	Yes
Packaging	
Secoya	22.84 sf/ctn (2.12 m ² /ctn); 6 pcs/ctn; 40.78 lbs/ctn (18.49 kg/ctn)
Bolder	36 sf/ctn (3.34 m ² /ctn); 4 pcs/ctn; 63.48 lbs/ctn (28.79 kg/ctn)
Installation	Loose Lay with Perimeter Glue
Recommended Adhesive	Perimeter glue only with MS160 Spray. May also use M95.0 Resilient Flooring Adhesive

PERFORMANCE

Construction	Commercial Grade Floating Resilient Tile
Classification	ASTM F1700 - Class III, Type A - Smooth, Type B - Embossed
Squareness	ASTM F2055 - Passes - 0.010 in. max
Size and Tolerance	ASTM F2055 - Passes - ±0.016 in. per linear foot
Thickness	ASTM F386 - Passes - Nominal ±0.005 in.
Flexibility	ASTM F137 - Passes - ≤ 1.0 in., no cracks or breaks
Dimensional Stability	ASTM F2199 - Passes - ≤ 0.024 in. per linear foot
Static Load Limit	ASTM F970 - Passes, modified - 1000 psi
Residual Indentation	ASTM F1914 - Passes - Average less than 8%
Slip Resistance	ASTM D2047 - Passes - > 0.6 Wet, 0.6 Dry
Resistance to Chemicals	ASTM F925 - Passes - No Change or Slight Change
Resistance to Light	ASTM F1515 - Passes - ΔE ≤ 8
Resistance to Heat	ASTM F1514 - Passes - ΔE ≤ 8
Critical Radiant Flux	ASTM E648 - Passes - ≥ 0.45 watts/cm ² , Class 1
IIC Rating	57 (over 6" concrete and drop ceiling)

SUSTAINABILITY


Certification	FloorScore® Certified
Recycled Content	Minimum 37% Pre-Consumer, 22% Post-Consumer

SERVICE

Warranty	Limited 10 Year Commercial
----------	----------------------------

Hot & Heavy Collection Secoya and Bolder

Construction The Hot & Heavy Collection is designed with a 5 mm thickness that is more forgiving of subfloors than other resilient tiles. In terms of acoustics, Hot & Heavy achieves a 57 IIC Rating without using underlayments. The collection is made with 59 percent recycled content, an added antimicrobial and is FloorScore® Certified. The M-Force™ Enhanced Urethane Finish offers protection under heavy foot traffic and is polish-optional.



Secoya The 9" x 59" plank replicates a modern hardwood aesthetic and is available in a variety of textures from linear to hand-scraped. Each plank is accentuated with a beveled edge to showcase the large format. Oak and Cherry species are offered in a full range of colors for an authentic wood visual.

Colorways available in 9" x 59" planks (nominal)



Bolder The 36" x 36" tile has the effect of a polished concrete slab but installs in a fraction of the time and expense. This modern format appears bold and interesting and installs quickly across large areas.

Colorways available in 36" x 36" tiles

